



Eksportpakke – Læggekartofler sæson 2025/2026

Indhold

Nyt siden sidst	3
Albanien	4
Algeriet	5
Angola	7
Armenien	8
Aserbajdsjan	9
Bosnien-Hercegovina	10
Egypten	11
Forenede Arabiske Emirater	13
Irak – Model A	14
Irak – Model B	16
Island	18
Israel	19
Jordan – Model A	22
Jordan – Model B	24
Kanariske Øer (Spanien)	26
Kosovo	27
La Réunion (Frankrig)	28
Libanon	29
Libyen	31
Marokko	32
Mauritanien	33
Montenegro	34
Nordmakedonien	35
Pakistan	36
Saudi Arabien – Model A	37
Saudi Arabien – Model B	38
Senegal	39
Serbien	40
Syrien	41
Tunesien	43
Tyrkiet	45
UK – Meristem	46

UK – Eksport til avler	47
Ukraine	48
Usbekistan	49
Zimbabwe	50

Senest opdateret d. 09-04-2026

Nyt siden sidst

Ved eksport til lande der ikke fremgår af eksportpakken, bedes I kontakte Sundhedfroe@fvst.dk for eksportbetingelser. Følgende lande er fjernet fra listen i 2025:

- Kasakhstan
- Nicaragua
- Qatar
- Sudan

Nye tilføjelser eller lande med markante ændringer er markeret med **gult**.

Albanien

Oplysninger af ukendt oprindelse.

Marksyn

Partikontrol

Visuelt syn:

- 0 % *Phoma* spp.
- 0 % Pulverskurv (*Spongospora subterranea*) (knolde med åbne pustler)
- *Meloidogyne* spp.

Frihed for *Leptinotarsa decemlineata* og *Ditylenchus dipsaci*

Laboratorieundersøgelser

Sorten fra den pågældende avler skal være testet for ringbakteriose

Tillægserklæring på plantesundhedscertifikat

The seed potatoes were grown in land in which Potato Wart Disease (*Synchytrium endobioticum*) has not been known to occur at any time nor within 10 kilometers thereof.

The seed potatoes originate from land which was officially sampled in [redacted] år and examined for the presence of commercially harmful nematodes which would be subject to quarantine regulations. Soil samples were found to be free of the potato cyst nematodes *Globodera pallida* and *Globodera rostochiensis*. The official inspection of the crops during the period of growth did not reveal any evidence of the presence of potato cyst nematodes.

Potato tuber moth (*Phthorimaea operculella*), Japanese beetle (*Popillia japonica*), Potato brown rot (*Ralstonia solanacearum*), Potato Stolbur phytoplasma, Potato yellowing vein 'virus', Potato yellow dwarf virus (PYDV) and Potato Spindle Tuber Viroïd (PSTVd) has never been found on potato in Denmark.

Colorado beetles (*Leptinotarsa decemlineata*), Potato rot nematode (*Ditylenchus destructor*), Potato ring rot (*Clavibacter michiganensis* subsp. *sepedonicus*) and Tomato spotted wilt virus (TSWV) are known not to occur in the consignment.

The crops from which the seed potatoes originate were officially inspected whilst growing, by Inspectors of the Ministry and were certified to conform to the standards of freedom of virus diseases according to the Ministry's certification scheme.

The consignment has been inspected and found substantially free from Gangrene (*Phoma exigua* var. *foveata*), Powdery scab (*Spongospora subterranea*), *Meloidogyne chitwoodi* and *Meloidogyne fallax*.

Øvrigt

Quality certificate skal vedlægges plantesundhedscertifikatet

Algeriet

I henhold til: Autorisation technique d'importation du materiel vegetal,
N124/DPVCT/SDCT/2016

Marksyn

Partikontrol

Der skal foretages et syn af hvert høstnummer til sikring af frihed for visuelle tegn på forekomst af:

- *Phoma exigua* var. *foveata*
- *Phoma andina*
- *Clavibacter michiganensis* subsp. *sepedonicus*
- *Ralstonia solanacearum*
- *Globodera pallida*
- *Globodera rostochiensis*
- *Ditylenchus destructor*
- Potato spindle tuber viroid
- Potato T. trichovirus
- Potato Andean latent virus
- Potato Andean mottle comovirus
- *Synchytrium endobioticum*
- Tomato spotted wilt tospovirus
- *Phytoplasma solani*
- *Boeremia foveata*
- *Ditylenchus dipsaci*
- *Meloidogyne* sp.

Der skal være synet 250 hkg for hvert høstnummer. I de tilfælde, hvor den aflede mængde udgør mindre end 250 hkg, synes den anmeldte mængde.

Hvis der findes tegn på forekomst af kraterråd skal partiet afvises til eksport til Algeriet, medmindre det omsorteres først.

Laboratorieundersøgelser

Sorten skal være testet for ring- og brunbakteriose.

Tillægserklæring på plantesundhedscertifikat

The seed potatoes are free from Potato Wart Disease (*Synchytrium endobioticum*).

The seed potatoes originate from land which was officially sampled in [redacted] and examined for the presence of commercially harmful nematodes which would be subject to quarantine regulations. Soil samples were found to be free of the potato cyst nematodes *Globodera pallida* and *Globodera rostochiensis*. The official inspection of the crops during the period of growth did not reveal any evidence of the presence of potato cyst nematodes.

Potato tuber moth (*Phthorimaea operculella*), Japanese beetle (*Popillia japonica*), *Meloidogyne chitwoodi*, *Meloidogyne fallax*, Potato brown rot (*Ralstonia solanacearum*), Potato Stolbur phytoplasma, *Phoma exigua* var. *foveata*, *Phoma andina*, Potato yellowing vein 'virus', Potato yellow dwarf virus (PYDV), Potato Spindle Tuber Viroïd (PSTVd), Potato

T. trichovirus, Potato Andean latentvirus, and Potato Andean mottle comovirus has never been found on potatoes in Denmark.

Colorado beetles (*Leptinotarsa decemlineata*), Potato rot nematode (*Ditylenchus destructor*), Potato ring rot (*Clavibacter michiganensis* subsp. *sepedonicus*) and Tomato spotted wilt virus (TSWV) are known not to occur in the consignment.

The crops from which the seed potatoes originate were officially inspected whilst growing, by Inspectors of the Ministry and were certified to conform to the standards of freedom of virus diseases according to the Ministry's certification scheme.

The consignment has been inspected and found substantially free from *Meloidogyne chitwoodi* and *Meloidogyne fallax*.

The Potato tubers are free from:

- Bacterial wilt (*Clavibacter michiganensis* subsp. *sepedonicus*) and come from crops which have undergone official inspection during the growing season.
- Wart gall (*Synchytrium endobioticum* (schilb. Perc.))
- Phoma (*Phoma exigua* var. *foveata*, *Phoma andina* and *Boeremia foveata*)
- Viable cysts of golden nematodes (*Globodera pallida* and *Globodera rostochiensis*) and come from fields known to be free from these parasites.
- *Ditylenchus dipsaci*
- Potato spindle tuber viroid, Potato T. trichovirus, Potato Andean mottle comovirus and come from countries free from this disease.

Øvrigt

Følgende skal vedlægges plantesundhedscertifikatet:

[Frihedserklæringen for GMO findes på Landbrugsstyrelsens hjemmesiden](#)

Importtilladelse

Angola

Kilder:

- Hollands eksportside

Marksyn

Frihed for:

- Coloradobiller (*Leptinotarsa decemlineata*)
- Kartoffelmøl (*Phthorimaea operculella*)
- Kartoffeljordlopper (*Epitrix cucumeris*)

Partikontrol

Følgende tolerancer må ikke overskrides:

- Rodfiltsvamp (*Rhizoctonia solani*): 2 % let inficerede knolde og 1 % middel til svært inficerede knolde
- Alm. skurv (*Streptomyces scabies*): max. 5 % af knoldene
- Pulverskurv (*Spongospora subterranea*): 5 % af knoldene
- Kartoffelskimmel (*Phytophthora infestans*): 1 % af knoldene
- Blødråd/sortben (*Erwinia carotovora*): 1 % af knoldene

Laboratorieundersøgelser

Jordprøver skal udtages og analyseres fri for kartoffelcystenematoder (*Globodera rostochiensis*).

Sorten hos den pågældende avler skal analyseres fri for ringbakteriose (*Clavibacter sepedonicus*).

Tillægserklæring på plantesundhedscertifikat

The seed potatoes are free from *Phthorimaea operculella*, *Epitrix cucumeris*, *Leptinotarsa decemlineata*, *Clavibacter sepedonicus*, *Globodera rostochiensis*, *Corticium solani* with a 2% tolerance for light infected tubers and 1% tolerance for medium and heavy infected tubers, *Streptomyces scabies* and *Spongospora subterranea* with a 5% tolerance of the number of tubers, *Phytophthora infestans* max. 1% and *Erwinia carotovora* max. 1% tolerance.

Øvrigt

-

Armenien

I henhold til: council of Eurasian Economic Commission no 157 og amendment No. 109 af 15. Juli 2022.

Marksyn

Partikontrol

Praktisk taget fri for jord (max 1 %)

Produktionsstedet skal være fri for:

- *Ralstonia solanacearum*
- *Meloidogyne chitwoodi*
- *Meloidogyne fallax*
- *Synchytrium endobioticum*

Frihed for:

- Potato spindle tuber viroid
- *Candidatus liberibacter solanacearum* (zebra chip)

Laboratorieundersøgelser

- *Globodera pallida*
- *Globodera rostochiensis*

Tillægserklæring på plantesundhedscertifikat

Regulated products are grown in zones, places and (or) sites of production free from quarantine pests in accordance with Common Requirements approved by the Decision No. 157 of the Council of the Eurasian Economic Commission of November 30. 2016 and amendment No. 109 of July 15. 2022.

Øvrigt

Aserbajdsjan

I henhold til Phytosanitary norms and rules on regulated articles imported into and transited through the territory of the Republic of Azerbaijan, No. 41, 26 december 2023

Marksyn

Partikontrol

Phoma foveata

Meloidogyne chitwoodi

Meloidogyne fallax

Potato spindle tuber viroid

Candidatus liberibacter solanacearum

Synchytrium endobioticum

Maksimum jord 1 pct. Af den samlede vægt, dog 0,1 pct. hvis *Ralstonia solanacearum* og *Globodera rostochiensis* findes i landet

Laboratorieundersøgelser

Globodera pallida

Globodera rostochiensis

Ralstonia solanacearum

Clavibacter michiganensis subsp. *sepedonicus*

Tillægserklæring på plantesundhedscertifikat

The tubers are free from *Tecia solanivora*, *Epitrix cucumeris*, *Epitrix tuberis*, *Phthorimaea operculella*, Potato Andean latent tymovirus, *Phoma foveata*, *Premnotrypes* spp., *Ditylenchus dipsaci*, *Ditylenchus destructor*, *Globodera pallida*, *Globodera rostochiensis*, *Meloidogyne chitwoodi*, *Meloidogyne fallax*, *Ralstonia solanacearum*, *Clavibacter michiganensis* subsp. *sepedonicus*, *Xiphinema rivesi*, Potato spindle tuber viroid, *Candidatus liberibacter solanacearum*, Tomato spotted wilt virus, *Synchytrium endobioticum*, *Thecaphora solani*.

Øvrigt

Bosnien-Hercegovina

Oplysninger fra: Rulebook on lists of harmful organisms, lists of plants, plant products and regulated objects

Marksyn

Partikontrol

Laboratorieundersøgelser

Sorten fra den pågældende avler skal være testet for ringbakteriose.

Tillægserklæring på plantesundhedscertifikat

Consignment complies with Annex IV.A.I, points 25.1 option (a); 25.2 option (a) and 25.4 option (a), (b), (c) and (dd); 25.4.2 (a) of Book of Rules on lists of harmful organisms (Official Gazette BiH, 48/13).

The seed potatoes were grown in areas where potato wart disease (*Synchytrium endobioticum*) are not known to occur and no symptoms of potato wart disease has been observed either at the place of production or in its immediate vicinity (10 km).

Soil has been tested and found free from the potato cyst nematodes *Globodera pallida* and *Globodera rostochiensis*.

Denmark is known to be free from potato ring rot (*Clavibacter michiganensis* subsp. *sepedonicus*).

Potato brown rot (*Ralstonia solanacearum*, syn. *Pseudomonas solanacearum*) has never been found in Denmark.

Guatemalan potato moth (*Tecia solanivora*, syn. *Scrobipalopsis solanivora*), and Potato Stolbur phytoplasma have never been found in Denmark.

The tubers come from an area free from *Meloidogyne chitwoodi* and *Meloidogyne fallax*.

The crops from which the seed potatoes originate were officially inspected whilst growing, by Inspectors of the Ministry and were certified to conform to the standards of freedom of virus diseases and quarantine diseases according to the Ministry's certification scheme.

The variety purity is 99,9 %. Free from virus diseases in accordance with the official requirements for the class XXXXXX.

Øvrigt

Kartoffelbrok (*Synchytrium endobioticum*) må ikke have været fundet inden for en radius af 10 kilometer af marken kartoflerne stammer fra.

Egypten

Jf. Decree No. 748 of 2019 of the Egyptian Ministry of Agriculture and annex no. 14 of the Ministerial Decree no. 562/2019

Marksyn

Godkendt som min. klasse E.

Der må ikke være forekomst af *Dickeya*, *Pectobacterium carotovorum*, *P. atrosepticum* på produktionsarealet i indeværende år og de to foregående to år.

Partikontrol

Der skal foretages et rekvireret syn af hvert høstnummer til sikring af de Egyptiske krav. Der skal være synet minimum 250 hkg pr. høstnummer.

Der synes jf. Decree 748/2019 for nedenstående (på knoldbasis):

- Sølvscurv (*Helminthosporium solani*): Max. 20% af knoldene, og max. 20% af overfladen
- Pulverscurv (*Spongospora subterranea*): Max. angrebsprocent 1%, max 10% af knoldoverfladen dækket
- Rodfiltsvamp (*Rhizoctonia solani*): Max. 5% med max. 10% af overfladen dækket
- Skurv (*Streptomyces scabies*): Max. 1.5 (Reference skurvskala 1.5 jf. NL-skala)
- Spirer: Max. 2 mm

Derudover må andre sygdomme/skader samlet set ikke overstige 5%:

- Fusarium: Max. 1%
- Vandsure (*Phytium* spp.): Max. 0,5%
- *Phoma* spp.: Max 0,5%
- Indre fejl/rust: Max. 0,5% (200 knolde gennemskæres)
- Mekaniske skader: Max. 3 %

Laboratorieundersøgelser

Sorten skal være testet hos pågældende avler og fundet fri for ring- og brunbakteriose.

Produktionsareal må ikke have været klassificeret som en nematodlokalitet inden for de seneste tre år.

Tillægserklæring på plantesundhedscertifikat

Import permit no.

The seed potatoes in this shipment are accepted as seed potatoes and the consignment is intended for cultivation only. The seed potatoes as well as their place of cultivation have been found free from:

- *Synchytrium endobioticum*
- *Leptinotarsa decemlineata*
- *Clavibacter michiganensis* subsp. *sepedonicus*
- *Ralstonia solanacearum*
- *Globodera rostochiensis*
- *Dickeya* spp.

The consignment was inspected and complies with Union Grade E certification scheme for virus tolerances of Union Grade E or Union Grade SE certification scheme for virus tolerances for seed potatoes of Union Grade SE. The general phytopathological conditions of seed potatoes according to the rules and regulations of the ARE (Decree No. 748 of 2019 of the Egyptian Ministry of Agriculture and annex no. 14 of the ministerial Decree no. 562/2019) are met.

Øvrigt

Forenede Arabiske Emirater

I henhold til: Conditions and Specifications of Imported Potato Tubers (mail fra 2014)

Marksyn

Partikontrol

Rhizoctonia solani: 10 % light Dutch Rhizoctonia scale 1

Dry-rot (incl. *Phoma* spp.): 0,50%

Wet-rot: 0%

External defects: 1%

Heavy internal defects: 1%

Sprouts caused by external pressure:

- < 2cm Ø and >3mm deep max 6%
- 2cm Ø and > 3mm deep max 1%

Severe green color: 3%

Plant parasitic nematodes: 0%

Streptomyces scabies and *Spongospora subterranean*: did not exceed Dutchscab scale 1

Soil: max 05 %

Leptinotarsa decemlineata (Colorado beetle), *Globodera rostochiensis* (Potato cyst nematode), *Meloidogyne* spp. (Root knot nematodes), *Synchytrium endobioticum* (Potato wart disease), *Ralstonia solanacearum* (Brown rot), *Clavibacter michiganensis* subsp. *sepedonicus* (Ring rot)

Laboratorieundersøgelser

Partiet skal være testet for ring- og brunbakteriose.

Tillægserklæring på plantesundhedscertifikat

The tubers are free from *Leptinotarsa decemlineata* (Colorado beetle), *Globodera rostochiensis* (Potato cyst nematode), *Meloidogyne* spp. (Root knot nematodes), *Synchytrium endobioticum* (Potato wart disease), *Ralstonia solanacearum* (Brown rot), *Clavibacter michiganensis* subsp. *sepedonicus* (Ring rot) wet rot, plant parasitic nematodes, Broomrape (*Orobancha*) and Dodder (*Cuscuta*). *Rhizoctonia solani* did not exceed Dutch Rhizoctonia scale 10 % light.

Streptomyces scabies and *Spongospora subterranea* did not exceed Dutchscab scale 1. Dry rot did not exceed 0.5%. External defects and heavy internal defects did not exceed 1%. Severe green color did not exceed 3%. Medium internal defects did not exceed 6%. Spots < 2cm Ø and > 3mm deep did not exceed 6% and those > 2cm Ø and < 3mm deep caused by external pressure did not exceed 1%. Soil attached on tubers did not exceed 0.5% by weight.

Øvrigt

Irak – Model A

Model A: Uden Virusundersøgelse

Oplysninger fra: Technical regulations dealing with imported potato (modtaget af Solanum Nord 2002)

Marksyn

0% virus

Frihed for *Leptinotarsa decemlineata*

Partikontrol

Vådråd + tørråd: 1% (af knolde)

Pulverskurv: 0%

Dyb skurv: 0%

Overfladisk skurv >1/3 af overfladen: 5%

Pulverskurv: 0%

Rodfiltsvamp (sclerotier) > 1/20 af overfl: 0%

Rodfiltsvamp (sclerotier) < 1/20 af overfl: 10%

Jord (maks af vægt): 1%

Mekaniske skader og misdannelser: 1%

Laboratorieundersøgelser

Sorten fra den pågældende avler skal være testet for ringbakteriose.

Tillægserklæring på plantesundhedscertifikat

The crops from which the seed potatoes originate were officially inspected whilst growing by inspectors of the Ministry, and were certified to conform to the standards of tolerance to virus diseases according to the Ministry's certification scheme. Potato yellowing vein 'virus', Potato yellow dwarf virus (PYDV), Potato Spindle Tuber Viroïd (PSTVd) has never been found in potatoes in Denmark. Tomato spotted wilt virus (TSWV) is known not to occur in this consignment. Potato tuber moth (*Phthorimaea operculella*), Japanese beetle (*Popillia japonica*) has never been found in Denmark. Colorado beetles (*Leptinotarsa decemlineata*) are known not to occur in the consignment. Sclerotium disease (*Sclerotium (Corticium) rolfii*), Dry rot (*Fusarium spp.*), Early blight (*Alternaria solani*) and Late blight (*Phytophthora infestans*) do not altogether exceed 1%.

The percentage of Common scab (*Streptomyces scabies*) is max 5 % of tubers showing lesions covering more than 1/3 of total tuber surface. The percentage of Powdery scab (*Spongospora subterranea*) is 0 %.

The percentage of Black scurf (*Rhizoctonia solani*) class E and A does not exceed 10% light. The seed potatoes originate from land which was officially sampled in [redacted] and examined for the presence of commercially harmful nematodes which would be subject to quarantine regulations. Soil samples were found to be free of the potato cyst nematodes *Globodera pallida* and *Globodera rostochiensis*. The official inspection of the crops during the period of growth did not reveal any evidence of the presence of potato cyst nematodes.

The percentage of injured and irregular seed is less than 1%. Weight of soil does not exceed 1% of weight.

The consignment has been tested for and found free from Bacterial ring rot *Clavibacter michiganensis* subsp. *sepedonicus*.

Øvrigt

Irak – Model B

Model B: Med Virusundersøgelse

Oplysninger fra: Technical regulations dealing with imported potato (modtaget af Solanum Nord 2002)

Marksyn

Partikontrol

Vådråd + tørråd: 1% (af knolde)

Pulverskurv: 0%

Dyb skurv: 0%

Overfladisk skurv >1/3 af overfladen: 5%

Pulverskurv: 0%

Rodfiltsvamp (sclerotier) > 1/20 af overfl: 0%

Rodfiltsvamp (sclerotier) < 1/20 af overfl: 10%

Jord (maks af vægt): 1%

Mekaniske skader og misdannelser: 1%

Frihed for *Leptinotarsa decemlineata*

Laboratorieundersøgelser

Virusundersøgelse med følgende tolerancer:

- Præbasis: 1%
- Basis: 2%
- Certificeret Klasse A: 5%

Sorten fra den pågældende avler skal være testet for ringbakteriose.

Tillægserklæring på plantesundhedscertifikat

The crops from which the seed potatoes originate were officially inspected whilst growing, by Inspectors of the Ministry and were certified to conform to the standards of tolerance to virus diseases according to the Ministry's certification scheme. Potato yellowing vein 'virus', Potato yellow dwarf virus (PYDV), Potato Spindle Tuber Viroid (PSTVd) has never been found in potatoes in Denmark. Tomato spotted wilt virus (TSWV) is known not to occur in this consignment.

Potato tuber moth (*Phthorimaea operculella*), Japanese beetle (*Popillia japonica*) has never been found in Denmark. Colorado beetles (*Leptinotarsa decemlineata*) are known not to occur in the consignment. Sclerotium disease (*Sclerotium (Corticium) rolfsii*), Dry rot (*Fusarium* spp.), Early blight (*Alternaria solani*) and Late blight (*Phytophthora infestans*) do not altogether exceed 1%.

The percentage of Common scab (*Streptomyces scabies*) is max 5 % of tubers showing lesions covering more than 1/3 of total tuber surface.

The percentage of Powdery scab (*Spongospora subterranea*) is 0 %. The percentage of Black scurf (*Rhizoctonia solani*) class E and A does not exceed 10% light.

The seed potatoes originate from land which was officially sampled in _____ and examined for the presence of commercially harmful nematodes which would be subject to quarantine regulations. Soil samples were found to be free of the potato cyst nematodes *Globodera pallida* and *Globodera rostochiensis*.

The official inspection of the crops during the period of growth did not reveal any evidence of the presence of potato cyst nematodes. The percentage of injured and irregular seed is less than 1%. Weight of soil does not exceed 1% of weight. The consignment has been tested for and found free from Bacterial ring rot (*Clavibacter michiganensis* subsp. *sepedonicus*).

The consignment has passed through laboratory test for virus and meet the permissible percentages:

- Super Elite: less than 1%,
- Elite: less than 2%
- Class A: less than 5%

Øvrigt

Island

Information fra: Forordning om import og eksport af planter og planteprodukter (189/1990)

Marksyn

Produktionsarealet skal være fundet fri for coloradobiller (*Leptinotarsa decemlineata*). *Phytophthora infestans* må ikke være observeret på kartoffelplanterne i vækstsæsonen.

Partikontrol

Knoldene må ikke have symptomer på *Phytophthora infestans*. Knoldene skal findes fri for *Fusarium* spp. og *Phoma exigua* var. *foveata*.

Laboratorieundersøgelser

Jordprøver skal udtages og analyseres fri for kartoffelcystenematoder (*Globodera pallida* og *Globodera rostochiensis*).

Knoldprøver skal udtages og analyseres fri for ringbakteriose (*Clavibacter michiganensis*) og brunbakteriose (*Ralstonia solanacearum*).

Tillægserklæring på plantesundhedscertifikat

Ingen.

Øvrigt

-

Israel

Kilder:

- Requirements for import of seed potatoes from Denmark to Israel, 956/2023

Marksyn

Der skal synes for følgende i marken:

- Coloradobiller (*Leptinotarsa decemlineata*): 0 %
- Stolbur phytoplasma (*Candidatus phytoplasma solani*): 0 %
- Sortben / blødråd: Max 0,5 % *Pectobacterium* spp.
- Sortben / blødråd: Max 0,03 % *Dickeya* spp.

Der kræves to marksyn udført i løbet af vækstsæsonen. Angrebne planter og deres knolde skal fjernes før høst.

Partikontrol

Partiet skal være fri for (0 %):

- *Synchytrium endobioticum*
- *Dickeya* spp.
- Stolbur phytoplasma (*Candidatus phytoplasma solani*)
- *Clavibacter sepedonicus*
- Coloradobiller (*Leptinotarsa decemlineata*)
- *Meloidogyne chitwoodi*
- PVY (Virus Y)
- Tobacco rattle virus
- Potato spindle tuber viroid

Følgende tolerancer skal være opfyldt (toleranceprocent er på antal, ikke vægt):

Kartoffelskurv (*Streptomyces* spp.): Max 30 % knolde med max. 4 små pletter. Af de 30 % må max 3 % have mere end 5 pletter. Max 0,3 % med dyb skurv (over 3 mm)

Pulverskurv (*Spongospora subterranea*): Max 1 % knolde

Kartoffelskimmel (*Phytophthora infestans*): Max 0,3 % knolde

Blødråd: Max 0,1 % knolde

Tørråd (*Fusarium* spp. og *Phoma* spp.): Max 1 % knolde

Tilsammen må max 1 % være inficeret med kartoffelskimmel, blødråd og tørråd

Rhizoctonia solani: Max 10 % knolde

Colletotrichum coccodes: Max 30 % knolde

Laboratorieundersøgelser

Jordprøver skal udtages og analyseres fri for kartoffelcystenematoder (*Globodera pallida* og *Globodera rostochiensis*).

Partiet skal analyseres fri for brunbakteriose (*Ralstonia solanacearum*) (200 knolde pr. 25 ton).

Tillægserklæring på plantesundhedscertifikat

The fields and the surrounding area (as specified below) have never been found to be infected with:

- A) *Synchytrium endobioticum* (potato wart disease) (2 km).
- B) *Ralstonia solanacearum* (brown rot disease) (5 km).
- C) *Clavibacter michiganensis* subsp. *sepedonicus* (potato ring rot disease) (10 km).

The fields from which the crop derived and the packing houses are free from *Leptinotarsa decemlineata* (Colorado potato beetle)

The fields from which the crop was derived were found free from *Globodera rostochiensis* (golden nematode) and *Globodera pallida* (white potato cyst nematode) according to official laboratory examinations of soil samples taken up to months before planting.

The fields from which the crop derived were inspected at least twice, during active growth, and the incidence of *Pectobacterium* spp. did not exceed 0.5%. All infected plants and their tubers were removed prior to harvest.

The fields from which the crop derived were inspected at least twice, during active growth and found free from *Pectobacterium carotovora* subsp. *brasilense* and *Candidatus phytoplasma solani* (Stolbur phytoplasma).

The fields from which the crop derived were inspected at least twice, during active growth, and the incidence of *Dickeya* spp. did not exceed 0.03%. All infected plants and their tubers were removed prior to harvest.

The country of production is free from Potato spindle tuber viroid in potatoes

The tubers are free of the following pests and diseases or do not exceed the limit stated below (percentage of the consignment by tubers):

Synchytrium endobioticum (potato wart disease) 0%

Ralstonia solanacearum (brown rot disease) based upon lab. test of 200 tubers/25 ton 0 %

Dickeya solani (formerly: *Erwinia chrysanthemi*) 0%

Pectobacterium carotovora subsp. *brasilense* 0%

Candidatus phytoplasma solani (Stolbur phytoplasma) 0%

Clavibacter michiganensis subsp. *sepedonicus* (potato ring rot disease) 0%

Leptinotarsa decemlineata (Colorado potato beetle) 0%

Globodera rostochiensis (golden nematode) 0%

Globodera pallida (white potato cyst nematode) 0%

Ditylenchus destructor (potato rot nematode) 0%
Meloidogyne chitwoodi (Columbia root-knot nematode) 0%
PVY ntn 0%
Tobacco rattle virus 0%
Potato spindle tuber viroïd 0%

Streptomyces spp. (common scab): No more than 4 small spots 30%. Of the 30% no more than 3% has more than 5 spots. Deep pitted scab 0.3%.

Spongospora subterranea (powdery scab) 1%
Severe cankerous form of the disease 0%

Phytophthora infestans (late blight) 0.3%
Soft rots caused by various organisms 0.1%
Fusarium spp. and *Phoma* spp. (dry rots) 1%
(Maximum cumulative tolerance for late blight, soft rots and dry rots mentioned above is 1%)

Rhizoctonia solani (black scurf) 10%
Colletotrichum coccodes (black dots) 30%

Øvrigt

Minimum klasse E.

Der kræves to marksyn udført i løbet af vækstsæsonen. Angrebne planter og deres knolde skal fjernes før høst.

Jordan – Model A

Oplysninger fra: Nederlandske og Skotske myndigheder
Med virusundersøgelse

Marksyn

Partikontrol

Visuelt syn af partiet kræves med:

- Vådforrådnelse 0 %
- Tørforrådnelse 1 %
- Rodfiltsvamp max 2 % (kraftigt angreb, hvor > 5 % af overfladen er dækket)
- Rodfiltsvamp max 25 % (svagt angreb, hvor < 5 % af overfladen er dækket)
- Pulverskurv 0 % (max 2-4 pletter pr. knold)
- Sølvskurv (svampet) max 1 % (må højst dække 5 % af overfladen)
- Meloidogyne spp.

Laboratorieundersøgelser

Sorten fra den pågældende avler skal være undersøgt for ring- og brunbakteriose.

Partiet skal være undersøgt for virus (bladrulle, Y, A, X og S) ved virusundersøgelse med tolerancer til godkendelse som basisavl.

I forbindelse med udstedelse af plantesundhedscertifikat skal resultatet af virusundersøgelsen være dokumenteret i form af et fremvist analysebevis.

Tillægserklæring på plantesundhedscertifikat

The seed potatoes in this consignment have been officially inspected, tested and found free from pests and comply with the tolerances, as defined by 102, 103, 104, 105, 106, 107, 108, 109 et 110 of the Instruction No. Z/13 of the year 2022 (Instructions of Registration Conditions and Procedures of Vegetable Seeds and their Origins (Imported and Locally Produced) including their Production and Trading Conditions issued under Clause 17.B and 18.b of Agriculture Law No. 13 of 2015 (as amended)).

The seed potatoes were inspected during the whole vegetation period by the Danish Agricultural Agency

The seed potatoes were inspected prior to shipment.

The seed potatoes in this shipment were produced in a production site where the soil was officially tested and found free of nematodes *Globodera rostochiensis* and *Globodera pallida*.

The seed potatoes in this shipment were produced at an officially inspected production site and found free of *Popillia japonica*, *Tecia solanivora*, *Epitrix cucumeris*, *Epitrix similaris*, *Epitrix subcrinita*, *Epitrix tuberis*, Candidatus *Liberibacter solanacearum* et/and Pepino mosaic virus (PepMV).

The seed potatoes in this shipment have been officially inspected and/or tested and found free of *Ralstonia solanacearum* et/and *Clavibacter sepedonicus* (Syn. *Clavibacter michiganensis* subsp. *sepedonicus*). The seed potatoes originate in an area free from

Ralstonia solanacearum et/and *Clavibacter sepedonicus* (Syn. *Clavibacter michiganensis* subsp. *sepedonicus*).

The seed potatoes in this shipment have been officially inspected and/or tested and found free of *Meloidogyne chitwoodi*, *Meloidogyne fallax*, *Leptinotarsa decemlineata*, *Phthorimaea operculella*, *Ditylenchus destructor*, Potato spindle tuber viroid (PSTVd), Tobacco rattle virus (TRV), Potato mop-top virus (PMTV), Potato Virus S (PVS), *Fusarium oxysporum* f.sp. *albedinis*, *Fusarium foetens*, *Synchytrium endobioticum*, Candidatus *Phytoplasma asteris* (Syn. Aster yellows phytoplasma) et/and *Dickeya* spp.

The seed potatoes in this shipment have been officially inspected and/or tested and meet the allowable fungal disease infection levels defined by class for: *Phytophthora* spp (including *Phytophthora infestans*), *Alternaria* spp (including *Alternaria solani*), *Boeremia exigua* var. *exigua* (Syn. *Phoma exigua*), *Fusarium* spp, *Verticillium albo-atrum*, *Verticillium dahliae*, *Sclerotinia sclerotiorum* et/and *Colletotrichum caccodes* (anthracnose of potato).

The seed potatoes in this shipment have been officially inspected and/or tested and comply with the allowable bacterial disease infection rates defined by class for: *Pectobacterium atrosepticum* et/and *Pectobacterium carotovorum* (Syn *Pectobacterium carotovorum* subsp. *carotovorum*).

The seed potatoes in this shipment have been officially inspected and/or tested and comply with the allowable and class-defined virus infection levels for Potato leafroll virus (PLRV), Potato virus Y (PVY), Potato virus A (PVA), Potato virus X (PVX).

The seed potatoes in this consignment have been officially inspected and comply with the percentage of infection allowed and defined by class for: *Rhizoctonia solani*, *Streptomyces scabiei* (Syn. *Streptomyces scabies*), *Spongospora subterranea* et/and *Helminthosporium solani*.

Øvrigt

Jordan – Model B

Oplysninger fra: Nederlandske og Skotske myndigheder
Uden virusundersøgelse

Marksyn

0 % virus ved marksyn

Partikontrol

Visuelt syn af partiet kræves med:

- Vådforrådnelse 0 %
- Tørforrådnelse 1 %
- Rodfiltsvamp max 2 % (kraftigt angreb, hvor > 5 % af overfladen er dækket)
- Rodfiltsvamp max 25 % (svagt angreb, hvor < 5 % af overfladen er dækket)
- Pulverskurv 0 % (max 2-4 pletter pr. knold)
- Sølvskurv (svampet) max 1 % (må højst dække 5 % af overfladen)
- Meloidogyne spp.

Laboratorieundersøgelser

Partiet skal være undersøgt for ring- og brunbakteriose.

Tillægserklæring på plantesundhedscertifikat

The seed potatoes in this consignment have been officially inspected, tested and found free from pests and comply with the tolerances, as defined by 102, 103, 104, 105, 106, 107, 108, 109 et 110 of the Instruction No. Z/13 of the year 2022 (Instructions of Registration Conditions and Procedures of Vegetable Seeds and their Origins (Imported and Locally Produced) including their Production and Trading Conditions issued under Clause 17.B and 18.b of Agriculture Law No. 13 of 2015 (as amended)).

The seed potatoes were inspected during the whole vegetation period by the Danish Agricultural Agency

The seed potatoes were inspected prior to shipment.

The seed potatoes in this shipment were produced in a production site where the soil was officially tested and found free of nematodes *Globodera rostochiensis* and *Globodera pallida*.

The seed potatoes in this shipment were produced at an officially inspected production site and found free of *Popillia japonica*, *Tecia solanivora*, *Epitrix cucumeris*, *Epitrix similaris*, *Epitrix subcrinita*, *Epitrix tuberis*, *Candidatus Liberibacter solanacearum* et/and Pepino mosaic virus (PepMV).

The seed potatoes in this shipment have been officially inspected and/or tested and found free of *Ralstonia solanacearum* et/and *Clavibacter sepedonicus* (Syn. *Clavibacter michiganensis* subsp. *sepedonicus*). The seed potatoes originate in an area free from *Ralstonia solanacearum* et/and *Clavibacter sepedonicus* (Syn. *Clavibacter michiganensis* subsp. *sepedonicus*).

The seed potatoes in this shipment have been officially inspected and/or tested and found free of *Meloidogyne chitwoodi*, *Meloidogyne fallax*, *Leptinotarsa decemlineata*,

Phthorimaea operculella, *Ditylenchus destructor*, Potato spindle tuber viroid (PSTVd), Tobacco rattle virus (TRV), Potato mop-top virus (PMTV), Potato Virus S (PVS), *Fusarium oxysporum* f.sp. *albedinis*, *Fusarium foetens*, *Synchytrium endobioticum*, *Candidatus Phytoplasma asteris* (Syn. Aster yellows phytoplasma) et/and *Dickeya* spp.

The seed potatoes in this shipment have been officially inspected and/or tested and meet the allowable fungal disease infection levels defined by class for: *Phytophthora* spp (including *Phytophthora infestans*), *Alternaria* spp (including *Alternaria solani*), *Boeremia exigua* var. *exigua* (Syn. *Phoma exigua*), *Fusarium* spp, *Verticillium albo-atrum*, *Verticillium dahliae*, *Sclerotinia sclerotiorum* et/and *Colletotrichum caccodes* (anthracnose of potato).

The seed potatoes in this shipment have been officially inspected and/or tested and comply with the allowable bacterial disease infection rates defined by class for: *Pectobacterium atrosepticum* et/and *Pectobacterium carotovorum* (Syn *Pectobacterium carotovorum* subsp. *carotovorum*).

The seed potatoes in this shipment have been officially inspected and/or tested and comply with the allowable and class-defined virus infection levels for Potato leafroll virus (PLRV), Potato virus Y (PVY), Potato virus A (PVA), Potato virus X (PVX).

The seed potatoes in this consignment have been officially inspected and comply with the percentage of infection allowed and defined by class for: *Rhizoctonia solani*, *Streptomyces scabiei* (Syn. *Streptomyces scabies*), *Spongospora subterranea* et/and *Helminthosporium solani*.

Øvrigt

Kanariske Øer (Spanien)

Kontakt Styrelsen for Fødevarer, Landbrug og Fiskeri for eksportbetingelser for kartofler til De Kanariske Øer: Sundhedfroefvst.dk

Kosovo

Oplysninger fra NL hjemmeside

Marksyn

Partikontrol

Laboratorieundersøgelser

Frihed for *Globoedra pallida* og *Globodera rostochiensis*.

Frihed for *Clavibacter sepedonicus* og *Ralstonia solanacearum* testet på sorten hos avleren.

Tillægserklæring på plantesundhedscertifikat

The place of production has been found free from A1 and A2 quarantine pests. *Synchytrium endobioticum* does not occur within a radius of 10 km. from the place of production. The place of production from which the seed potatoes originate is free from *Clavibacter michiganensis* subsp. *sepedonicus*.

Prior to planting the soil of the fields of production has been tested and found free from *Globodera pallida* and *Globodera rostochiensis*. The seed potatoes were inspected during the vegetation period and were found free from virus to an extent ensuring certification as class SE, E and/or A.

The consignment was inspected and found free from *Clavibacter michiganensis* subsp. *sepedonicus*, *Pseudomonas (Ralstonia) solanacearum*, potato spindle tuber pospiviroid and other non-European viruses and virus like organisms.

Soil has been inspected and found free from presence of quarantine species of nematodes.

The consignment was inspected by the competent Plant Protection Organization of Denmark.

Øvrigt

La Réunion (Frankrig)

Oplysninger hentet fra: "ARRÊTE PRÉFECTORAL N° 2011 – 1479 du 30 septembre 2011 modifié, conditions requises pour l'introduction de végétaux et produits végétaux à la Réunion." and "ANNEXE IV exigences particulières requises pour l'introduction et la circulation des végétaux et produits végétaux et autres objets sur le territoire de l'île de la Réunion"

Marksyn

Partikontrol

Partiet skal synes for *Epitrix* sp., *Meloidogyne chitwoodi* og *Meloidogyne fallax*, *Tecia solanivora*, *Synchytrium endobioticum* og Potato spindle tuber viroid.

Laboratorieundersøgelser

Analysebeviser for *Clavibacter sepedonicus* og *Ralstonia solanacearum*.

Tillægserklæring på plantesundhedscertifikat

According to "ARRÊTE PRÉFECTORAL N° 2011 – 1479 du 30 septembre 2011 modifié, conditions requises pour l'introduction de végétaux et produits végétaux à la Réunion." and "ANNEXE IV exigences particulières requises pour l'introduction et la circulation des végétaux et produits végétaux et autres objets sur le territoire de l'île de la Réunion"

9 a) and b) the consignment has been inspected and/or tested free from harmful organisms before shipment.

57 a) the potato tubers come from an area known to be free from *Synchytrium endobioticum*.

57.2 a) the potato tubers come from an area known to be free from *Epitrix* sp. (Angiv region)

58 a) the potato tubers come from an area known to be free from *Clavibacter michiganensis* spp.

59 a) the potato tubers come from an area known to be free from Potato spindle tuber viroid.

60 the potato tubers come from a field tested free from *Globodera rostochiensis* and *Globodera pallida*

60 aa) the potato tubers come from an area known to be free from *Ralstonia solanacearum*.

60 cc) the potato tubers come from an area where *Meloidogyne chitwoodi* and *Meloidogyne fallax* is not known to occur

62 a) the potato tubers come from an area where *Tecia solanivora* is not known to occur

63 no symptoms of stolbur phytoplasma have been observed on the place of production since the last complete vegetation cycle.

Øvrigt

Libanon

Kilder:

- Decree No. 1/693: Import requirements of Potato Seeds (2014).

Marksyn

Frihed for:

- Coloradobiller (*Leptinotarsa decemlineata*)
- *Ditylenchus dipsaci*
- *Synchytrium endobioticum*
- Sortben / blødråd (*Dickeya chrysanthemi*, *Pectobacterium atrosepticum*, *Pectobacterium carotovorum*)

Klasse E – Max. 1,0 % virus.

Klasse SE – Max 0,75 % virus.

Partikontrol

- Tørråd (*Phytophthora infestans*, *Alternaria solani*, *Fusarium* spp., *Verticillium* spp.): 0,5%
- *Phoma foveata*: 0%
- Sølvscurv (*Helminthosporium solani*): ingen rynkede knolde
- Spirer: max. 15 mm på max. 20% af knoldene
- *Ditylenchus dipsaci* – tørråd: 0%
- *Rhizoctonia solani* og *Polyscytalum pustulans*: max. 5% med infektion (antal), og inficeret område må ikke overstige 10% af overfladen
- Kartoffel- og pulverscurv (*Spongospora subterranea* og *Streptomyces scabies*): mindst 33% af knoldene (antal) skal være fri for infektion af alm. scurv og pulverscurv, og i de resterende 66% af knoldene må der ikke være mere end 4 pletter, hvoraf hver plet ikke må overstige 1/16 af knoldens overflade
- Antal beskadiget knolde må ikke overstige 7 % af det totale antal
- *Meloidogyne* spp.
- *Phytophthora cryptogea*

Laboratorieundersøgelser

Jordprøver skal udtages og analyseres fri for kartoffelcystenematoder (*Globodera pallida* og *Globodera rostochiensis*).

Sorten fra den pågældende avler skal være testet for ring- og brunbakteriose (*Clavibacter sepedonicus* og *Ralstonia solanacearum*).

Tillægserklæring på plantesundhedscertifikat

This consignment conforms to the requirements prescribed under Lebanese Ministerial Decree No. 1/693, Import requirements of Potato Seeds (2014). The consignment is free from quarantine pests listed in Annex No. 2 and complies with the permitted tolerances as described in Annex No. 3.

The potato seeds are produced in areas that have been free from potato wart disease (*Synchytrium endobioticum*) and brown rot disease (*Ralstonia solanacearum*) for at least five years, and from ring rot disease (*Clavibacter sepedonicus*) for at least three years.

Øvrigt

Der må kun importeres læggekartofler af klasse E eller SE.

Kun visse sorter må importeres i Libanon.

Fungicidbehandling kræves.

Libyen

Kilder:

- Decree No. 17/2019 concerning the Establishment of the Technical Conditions & Descriptions for the Importation of Potato seeds

Marksyn

Frihed for:

- Coloradobiller (*Leptinotarsa decemlineata*)
- Japanbiller (*Popillia japonica*)
- Blødråd/sortben (*Pectobacterium* spp. og *Erwinia* spp.)

Potato leaf roll virus: 0,1%

Potato mosaic virus: 0,1%

Partikontrol

- Alm. skurv (*Actinomyces scabies*): max 25 % med to ikke-sammenhængende pletter eller små pletter på max. 1/32 del af knolde
- Pulverskuv (*Spongospora subterranea*): 0 %
- Kartoffelbrok (*Synchytrium endobioticum*): 0 %
- *Meloidogyne* spp.
- Rodfiltsvamp (*Rhizoctonia solani*): max. 5 % af knoldene på max. 10 % af overfladen
- Sølvskev (*Helminthosporium solani*): max. 10 % af knoldene på max. 10 % af overfladen
- *Phytophthora infestans*: max. 0,5 %
- Tørråd (*Fusarium*): max. 0,5 %
- *Sclerotinia sclerotiorum*: max. 0,5 %
- Spirer: praktisk taget fri
- Jord: praktisk taget fri
- Mekaniske- og fysiologiske skader: max. 0,5% af vægten

Laboratorieundersøgelser

Jordprøver skal udtages og analyseres fri for kartoffelcystenematoder (*Globodera pallida* og *Globodera rostochiensis*).

Sorten fra den pågældende avler skal være testet for ring- og brunbakteriose (*Clavibacter sepeponicus* og *Ralstonia solanacearum*).

Tillægserklæring på plantesundhedscertifikat

This consignment conforms to the requirements prescribed under Libya Ministerial Decree No. 17/2019 on the importation of potato seeds. The consignment is free from the pests listed in Article 2 and complies with the permitted tolerances described in Article 2.

Øvrigt

Import fra midt december til midt januar.

Marokko

Kilder:

- Order No 593-17 of 8 August 2017 on the phytosanitary inspection of plants, plant products and other objects on importation

Marksyn

Frihed for:

- Coloradobiller (*Leptinotarsa decemlineata*)
- Kartoffelbrok (*Synchytrium endobioticum*)

Partikontrol

- *Phytophthora infestans* 2 %
- Blødråd (*Erwinia* spp.) 2 %
- Sølvskurv (*Helminthosporium solani*) og alm. skurv (*Actinomyces scabies*): max. 5 % af knoldene med symptomer på mere end 1/3 af overfladen
- Rodfiltsvamp (*Rhizoctonia solani*): max. 10 % af knoldene (antal)
- Praktisk taget fri for jord og halm (Frihed for jord og halm jf. Marokkos lovgivning)
- *Meloidogyne* spp.
- Pulverskurv (*Spongospora subterranea*)
- *Phoma exigua* var. *foveata*

Laboratorieundersøgelser

Jordprøver skal udtages og analyseres fri for kartoffelcystenematoder (*Globodera pallida* og *Globodera rostochiensis*).

Sorten fra den pågældende avler skal være testet for ring- og brunbakteriose (*Clavibacter sepedonicus* og *Ralstonia solanacearum*).

Tillægserklæring på plantesundhedscertifikat

The seed potatoes in this consignment have been tested and/or inspected and found free from: *Ralstonia solanacearum*, *Clavibacter michiganensis* subsp. *sepedonicus*, *Clavibacter michiganensis* pv. *michiganensis*, *Leptinotarsa decemlineata*, *Globodera rostochiensis*, *Globodera pallida*, *Meloidogyne* spp., *Synchytrium endobioticum*, *Spongospora subterranea*, *Angiosorus solani*, *Xanthomonas campestris* pv. *vesicatoria*, and Potato spindle tuber viroid.

Øvrigt

Sendingen skal følges af et oprindelsescertifikat.

Mauritanien

Kilder:

- Organisme de quarantaines / Mauritanie, 2002

Marksyn

Frihed for:

- Coloradobille (*Leptinotarsa decemlineata*)
- *Ditylenchus dipsaci*
- *Synchytrium endobioticum*

Partikontrol

Frihed for:

- *Phoma exigua* var. *foveata*
- Pulverskurv (*Spongospora subterranea*)

Laboratorieundersøgelser

Jordprøver skal udtages og analyseres fri for kartoffelcystenematoder (*Globodera pallida* og *Globodera rostochiensis*).

Sorten fra den pågældende avler skal være testet for ring- og brunbakteriose (*Clavibacter sepedonicus* og *Ralstonia solanacearum*).

Tillægserklæring på plantesundhedscertifikat

The consignment was inspected and found free from *Leptinotarsa decemlineata*, *Synchytrium endobioticum*, *Ditylenchus dipsaci*, *Spongospora subterranea*, and *Phoma exigua* var. *foveata*.

The production site was sampled, tested, and found to be free from *Globodera rostochiensis* and *Globodera pallida*. The seed potatoes in this consignment have been tested and found to be free from *Clavibacter sepedonicus* and *Ralstonia solanacearum*.

Øvrigt

-

Montenegro

Information fra: Rulebook of Montenegro List IVA part I from 14 December 2023

Marksyn

Partikontrol

Laboratorieundersøgelser

Partiet skal være testet for ring- og brunbakteriose.

Tillægserklæring på plantesundhedscertifikat

The tubers in this consignment comply with Law on Plant health Protection in Montenegro List IVA part I from 14 December 2023 (p.1739) harmonized with (EU) 2019/2072. Tubers comply with (14) that the consignment or lot does not contain more than 1% by net weight soil. (15.a) *Tecia solanivora* does not occur in Denmark. (16.a) Denmark is known to be free from *Clavibacter sepedonicus*. (17.a) The tubers originate in areas known to be free from *Synchytrium endobioticum*, and no symptoms have been observed either at the place of production or it's immediate vicinity. (18) The tubers originate from a field known to be free from *Globodera rostochiensis* and *Globodera pallida* with appropriate methods. (19.b) The tubers originate from a place of production found free from *Ralstonia solanacearum*, *Ralstonia pseudosolanacearum*, *Ralstonia syzygii* subsp. *celebensis* and *Ralstonia syzygii* subsp. *indonesiensis* and are subjected to official testing after harvest. (20.a or 20.d) Depending on the area of production tubers originate from areas where *Meloidogyne chitwoodi* and *Meloidogyne fallax* are known not to occur or the tubers have been checked for the presence of symptoms after an appropriate method to induce symptoms, or laboratory tested, as well as inspected visually both externally and by cutting the tubers.

Øvrigt

Nordmakedonien

Oplysninger fra: Book of rules on lists of harmful organisms, plants, plant products and other objects and items

Marksyn

Partikontrol

Laboratorieundersøgelser

Frihed for *Globodera pallida*, *Globodera rostochiensis*

Tillægserklæring på plantesundhedscertifikat

The consignment complies with Rule 91/21 Annex 4 - List IV Past A – section 1 item 25.2 (a) the tubers originate in countries recognized as free from *Clavibacter michiganensis* subsp. *sepedonicus* (Spieckermann and Kotthoff) Davis et al., 25.4 the tubers originate in an area known to be free of *Globodera rostochiensis* (Wollenweber) Behrens and *Globodera pallida* (Stone) Behrens., 25.4 (aa) the tubers originate in areas where *Ralstonia solanacearum* (Smith) Yabuuchi et al is known not to occur, 25.4 (cc) the tubers originate in areas where *Meloidogyne chitwoodi* Golden et al. (all populations) and *Meloidogyne fallax* Karssen are known not to occur and 25.4.2 (a) the tubers originate in a country where *Scrobipalopsis solanivora* Povolny is known not to occur

Øvrigt

Quality certificate skal vedlægges plantesundhedscertifikatet

Pakistan

Kilder:

- Pakistan Plant Quarantine Rules, 2019

Marksyn

Frihed for:

- *Leptinotarsa decemlineata*
- *Ditylenchus dipsaci*
- Potato mop top virus
- Tobacco rattle virus
- Potato virus Y
- *Synchytrium endobioticum*

Partikontrol

Frihed for *Phoma exigua* var. *foveata*

Laboratorieundersøgelser

Jordprøver skal udtages og analyseres fri for kartoffelcystenematoder (*Globodera pallida* og *Globodera rostochiensis*).

Sorten fra den pågældende avler skal analyseres fri for ringbakteriose (*Clavibacter sepeponicus*) og brunbakteriose (*Ralstonia solanacearum*).

Tillægserklæring på plantesundhedscertifikat

Andean potato latent virus, Andean potato mottle virus, Dulcamara mottle virus, Tomato black ring virus, Potato purple top wilt agent, Potato marginal flavescence agent, Stolbur agent, Parastolbur agent, Potato purple top roll agents, Potato witches broom agent, Potato leaflet stunt agent, Potato spindle tuber viroid, Arracacha virus B, Potato yellowing virus and *Ditylenchus destructor* is not known to occur in Denmark.

The consignment was inspected and found free from *Leptinotarsa decemlineata*, *Synchytrium endobioticum*, *Ditylenchus dipsaci* and *Phoma exigua* var. *foveata*.

The production site was sampled, tested, and found to be free from *Globodera rostochiensis* and *Globodera pallida*. The seed potatoes in this consignment have been tested and found to be free from *Clavibacter sepeponicus* and *Ralstonia solanacearum*.

Øvrigt

Importtilladelse kræves.

Så vidt muligt skal der vælges sorter som er resistente over for *Synchytrium endobioticum*.

Saudi Arabien – Model A

(Krav fra: Ministerial Decision No. 246999 dated 20/08/1431 H og 4/3/49943, dated 9/7/1415 H)

Model A – UDEN krav om lab.-analyse for virus Y, A, X, S, bladrullevirus

Krav til import af læggekartofler:

Import er kun tilladt for klasse E eller højere klasser. Størrelse: 28-55 mm

Marksyn

- Sortben (*Pectobacterium* spp.) 0 %
- Virus 0 %
- *Verticillium dahliae*, *Verticillium albo-atrum* 0,1 %

Partikontrol

Tolerancen angivet i pct. knolde

- Blødråd, sortben (arter af *Dickeya*, *Pectobacterium*): 0 %
- Ringrust; TRV og moptopvirus: 0 %
- Tørråd (*Phoma*, kartoffelskimmel, *Alternaria*): 0,5 %
- Fusarium: 0 %
- *Rhizoctonia*: 0 % svær infektion (> 1/20 af overfladen)
- *Rhizoctonia*: max 10 % let infektion (<1/20 af overfladen)
- Alm. skurv (*Streptomyces*): 5 %, max. 1/3 af overfladen
- Pulverskurv (*Spongospora*): 3 %, max. 1/20 af overfladen
- Sølvscurv og indskrumpne knolde: 1 %; skurv max. 1/20 af overfladen
- Spirer: 1 % må have spirer længere end 10 mm,
- Grønne knolde, beskadigelser, hollow heart, brown/black heart, i alt: max 3 %
- Jord og sand i hver sæk: 0,5 % (men knolde helt frie for jord)
- Fungicidbehandling (Imazalil) af hele partiet
- Mærkningskrav (ud over alm plantepas): Importørens navn og adresse

Laboratorieundersøgelser

Jordprøver skal udtages og analyseres fri for kartoffelcystenematoder (*Globodera pallida* og *Globodera rostochiensis*).

Sorten fra den pågældende avler skal analyseres fri for ringbakteriose (*Clavibacter sepe-donicus*) og brunbakteriose (*Ralstonia solanacearum*).

Tillægserklæring på plantesundhedscertifikat

The seed potatoes are free from bacterial, and fungal diseases and free from insect pests, nematodes and soil according to Ministerial Decision No. 246999 dated 20/08/1431 H and Decision no. 4/3/49943, dated 9/7/1415 H and totally free 100% from brown rot disease caused by *Pseudomonas (Ralstonia) solanacearum*.

Øvrigt

Risø-erklæring, samt Non-GMO-erklæringen

Både Risøerklæringen og frihedserklæringen for GMO findes på lfst.dk

Saudi Arabien – Model B

(Krav fra Ministerial Decision No. 246999 dated 20/08/1431 H og 4/3/49943, dated 9/7/1413 H)

Model B med krav om laboratorieanalyse for virus

Krav til import af læggekartofler:

Import er kun tilladt for klasse E eller højere klasser. Størrelse: 28-55 mm

Marksyn

- Sortben (*Pectobacterium* spp.): 0 %
- *Verticillium dahliae*, *Verticillium albo-atrum*: 0,1 %

Partikontrol

Tolerancen angivet i pct. knolde

- Blødråd, sortben (arter af *Dickeya*, *Pectobacterium*): 0 %
- Ringrust; TRV og moptopvirus: 0 %
- Tørråd (*Phoma*, kartoffelskimmel, *Alternaria*): 0,5 %
- *Fusarium*: 0 %
- *Rhizoctonia*: 0 % svær infektion (> 1/20 af overfladen)
- *Rhizoctonia*: max 10 % let infektion (<1/20 af overfladen)
- Alm. skurv (*Streptomyces*): 5 %, max. 1/3 af overfladen
- Pulverskuv (*Spongospora*): 3 %, max. 1/20 af overfladen
- Sølvskuv og indskrumpne knolde: 1 % skurv max 1/20 af overfladen
- Spirer: 1 % (må have spirer længere end 10 mm)
- Grønne knolde, beskadigelser, hollow heart, brown/black heart, i alt: max 3 %
- Jord og sand i hver sæk: 0,5 % (men knolde helt frie for jord)
- Fungicidbehandling (Imazalil) af hele partiet
- Mærkningskrav (ud over alm plantepas): Importørens navn og adresse

Laboratorieundersøgelser

- Ring- og brunbakteriose CMS og RS (sorten fra den pågældende avler)
- Virus: Bladrulle, Virus Y, Virus A: 2 %
- Virus: Virus X, Virus S: 4 %

Tillægserklæring på plantesundhedscertifikat

The seed potatoes are free from bacterial, and fungal diseases and free from insect pests, nematodes and soil according to Ministerial Decision No. 246999 dated 20/08/1431 H and Decision no. 4/3/49943, dated 9/7/1415 H and totally free 100% from brown rot disease caused by *Pseudomonas (Ralstonia) solanacearum*. We hereby state that the ratios of virus diseases in the seed potatoes are according to Saudi Arabian Ministry of Agriculture & Water Ministerial Decision No 246999, dated 20/8/1431H.

Øvrigt

Risø-erklæring, samt Non-GMO-erklæring

[Både Risøerklæringen og frihedserklæring for GMO findes på lbst.dk](http://lbst.dk)

Senegal

Kilder:

- Phytosanitary Control Booklet på Senegals IPPC landeside

Marksyn

Frihed for:

- Coloradobiller (*Leptinotarsa decemlineata*)
- *Synchytrium endobioticum*

Partikontrol

Frihed for:

- *Phytophthora infestans*
- Jord

Laboratorieundersøgelser

Jordprøver skal udtages og analyseres fri for nematoder (*Globodera rostochiensis*, *Punctodera punctata* og *Heterodera schachtii*).

Knoldprøver af sorten hos den pågældende avler skal udtages og analyseres fri for ringbakteriose (*Clavibacter sepedonicus*)

Tillægserklæring på plantesundhedscertifikat

Spongospora subterranean is not known to occur in Denmark.

The consignment was inspected and found free from *Leptinotarsa decemlineata*, *Synchytrium endobioticum* and *Phytophthora infestans*.

The production site was sampled, tested, and found to be free from *Globodera rostochiensis*, *Punctodera punctata* and *Heterodera schachtii*. The seed potatoes in this consignment have been tested and found to be free from *Clavibacter sepedonicus*.

Øvrigt

-

Serbien

Kilder:

- Rulebook on lists of harmful organisms and lists of plants, plant products and regulated objects ("Official Gazette RS", No. 7/2010, 22/2012 and 57/2015)

Marksyn

Partikontrol

Laboratorieundersøgelser

Jordprøver fra marken skal udtages og analyseres fri for kartoffelcystenematoder (*Globodera pallida* og *Globodera rostochiensis*).

Sorten hos den pågældende avler skal analyseres fri for ringbakteriose (*Clavibacter sepedonicus*) og brunbakteriose (*Ralstonia solanacearum*).

Tillægserklæring på plantesundhedscertifikat

The consignment complies with Law on Plant Health no. 7/2010, 22/2012 and 57/2015 List IV A part I 25.1 (a), 25.2 (a), 25.4 (a), (b), (c), (d), and 25.4.2 (a).

Soil has been tested and found free from *Globodera rostochiensis* (Wollenweber) Behrens and *Globodera pallida* (Stone) Behrens.

Øvrigt

-

Syrien

Kilder:

- Phytosanitary Requirements for Seeds potato Importation into Syria for the Season 2025/2026

Marksyn

Frihed for:

- Coloradobiller (*Leptinotarsa decemlineata*)
- Japanbiller (*Popillia japonica*)
- Stængelnematoder (*Ditylenchus dipsaci*)
- Rødsårnematoder (*Pratylenchus thornei*)
- Tenknoldviroid (Potato spindle tuber viroid (PSTVd))

Partikontrol

En stikprøve på minimum 2-5 % af partiet skal kontrolleres for følgende:

- 0 % pulverskurv (*Spongospora subterranea*).
- 0 % kartoffelbrok (*Synchytrium endobioticum*).
- 0 % levende insekter.
- 0 % frostskafer.
- Max. 1 % knolde med kartoffelskimmel (*Phytophthora infestans*), tørråd (*Phoma* spp.), deformiteter og mekaniske skader.
- Blødråd: Max. 1 knold pr. 150 kg.
- Sølvskurv (tør og rynket): Max. 1 knold pr. 50 kg.
- Sølvskurv (sølvgrå pletter): Max. 40 % af knoldens overflade.
- Almindelig kartoffelskurv: Max. 10 % af knoldene med max. 25 % af knoldoverfladen inficeret. De resterende 90 % med max. 5 % af knoldoverfladen inficeret.
- Jord i forsendelsen: max. 100 gr. pr. 50 kg, knoldene fri for jord
- Rodfiltsvamp (*Rhizoctonia solani*): Max. 5 % af knoldene med max. 5 % af knoldoverfladen inficeret. De resterende 95 % med max. 1 % af knoldoverfladen inficeret.
- Knolde må ikke have spirer over 2 mm, bortset fra apikale spirer.
- Knoldene skal være fri for jord. Max. 100 g jord pr. 50 kg.
- Knoldene skal være modne med fast skræl.

Laboratorieundersøgelser

Jordprøver skal udtages og analyseres fri for kartoffelcystenematoder (*Globodera pallida* og *Globodera rostochiensis*).

Sorten fra den pågældende avler skal analyseres fri for ringbakteriose (*Clavibacter sepedonicus*) og brunbakteriose (*Ralstonia solanacearum*).

Tillægserklæring på plantesundhedscertifikat

This consignment complies with the requirements set out in the "Phytosanitary Requirements for Seeds potato Importation into Syria for the season 2025/2026".

Øvrigt

Må ikke være genmodificerede.

Træemballage skal være certificeret ISPM 15.

Risø-erklæring og frihedserklæring for GMO

[Både Risøerklæringen og frihedserklæring for GMO findes på lbst.dk](#)

Tunesien

Kilder:

- Cahier des charges, Importation de semences de pommes de terre – campagne 2025-2026

Marksyn

Frihed for:

- Coloradobiller (*Leptinotarsa decemlineata*)
- Stolbur phytoplasma (*Candidatus Phytoplasma solani*)
- Kartoffelbrok (*Synchytrium endobioticum*)
- *Meloidogyne* spp.

Partikontrol

Spiring må forekomme på max. 10 % af knoldene.

Nultolerance for følgende:

- Potato spindle tuber viroid
- *Phoma andina* (*Stagonosporopsis andigena*)
- *Phoma exigua* var. *foveata* (*Boeremia foveata*)
- *Thecaphora solani*
- *Ditylenchus* spp.
- *Heterodera schachtii*
- *Tecia solanivora*

Følgende tolerancer skal overholdes (grænseværdier angivet i vægtprocent)

Nedenstående må tilsammen max. udgøre 4 %:

- Jord og andre fremmedlegemer: 0,5 %
- Deforme eller beskadigede knolde: 1 %
- Våd råd (*Pectobacterium* spp., *Dickeya* spp., *Phytophthora erythroseptica*, *Pythium* spp.) og skimmel (*Phytophthora infestans*): 0,1 %
- Tørråd (*Fusarium* spp., *Verticillium* spp., *Phoma* spp. (med undtagelse af *Phoma andina* og *Phoma exigua* var. *foveata*)): 0,2 %
 - o *Phoma andina* og *Phoma exigua* var. *foveata*: 0 %
- Biller, møl, orme og snegle: 3 %

Nedenstående må tilsammen max. udgøre 10 %:

- Alm. skurv (*Streptomyces scabies*): max. 10 % let inficerede knolde
- Sølvskurv (*Helminthosporium solani*): 3-4 pletter pr. knold på max. 10 % af knoldene
- Rodfiltsvamp (*Rhizoctonia solani*): max. 10 % let inficerede knolde og max. 5 % middel til svært inficerede knolde

Laboratorieundersøgelser

Jordprøver skal udtages og analyseres fri for kartoffelcystenematoder (*Globodera pallida* og *Globodera rostochiensis*).

Sorten fra den pågældende avler skal analyseres fri for ringbakteriose (*Clavibacter sepedonicus*) og brunbakteriose (*Ralstonia solanacearum*).

Tillægserklæring på plantesundhedscertifikat

The consignment was officially inspected prior to shipment and was found to be free from harmful pests in accordance with the Cahier des charges, Importation de semences de pommes de terre – campagne 2025-2026.

The seed potatoes originate in an area where *Clavibacter michiganensis* subsp. *sepedonicus*, *Ralstonia solanacearum*, *Synchytrium endobioticum*, *Globodera pallida*, *Globodera rostochiensis*, and Potato spindle tuber viroid is not known to occur.

Øvrigt

-

Tyrkiet

Kilder:

- Annex I, II and IV til Regulation om Plant Quarantine

Marksyn

Partikontrol

Phoma: 0%

Pulverskurv: 0% knolde med åbne pustler

Meloidogyne spp: 0%

Ditylenchys dipsaci: 0%

Laboratorieundersøgelser

Jordprøver skal udtages og analyseres fri for kartoffelcystenematoder (*Globodera pallida* og *Globodera rostochiensis*).

Sorten fra den pågældende avler skal analyseres fri for ringbakteriose (*Clavibacter sepedonicus*) og brunbakteriose (*Ralstonia solanacearum*).

Tillægserklæring på plantesundhedscertifikat

The consignment is free from harmful organisms according to Regulation on Plant Quarantine Annex I and II and comply with requirements in Annex 4 point 32.1, 32.2 a), 32.3, 32.4 a), b), c), d) and e), 32.4.1 and 32.4.2 a) and 32.6.

Øvrigt

Seed certificate, Türkiye

UK – Meristem

Information hentet fra: Great Britain's Phytosanitary Conditions Regulation (2019/2072), Annex 7

Marksyn

Partikontrol

Ingen partikontrol, men skal anmeldes til fysisk eksportkontrol.

Laboratorieundersøgelser

Ingen

Tillægserklæring på plantesundhedscertifikat

This consignment complies with, item 9 a (ii) of Annex 7 to Great Britain's Phytosanitary Conditions Regulation (2019/2072) in that no symptoms of Tomato leaf curl New Delhi Virus have been observed on the plants during their complete cycle of vegetation, and item 28 b that no symptoms of *Candidatus Phytoplasma 'solani'* Quaglino et al. have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation.

Øvrigt

UK – Eksport til avler

Information hentet fra: The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020, Schedule 7

Marksyn

Partikontrol

Laboratorieanalyser

Tillægserklæring på plantesundhedscertifikat

The shipment complies with the phytosanitary requirements of item 19 (a) of Annex VII to Great Britain's Phytosanitary Conditions Regulation (2019/2072). The tubers originated in a country where *Tecia solanivora* is known not to occur

The shipment complies with the phytosanitary requirements of item 20 (a) i of Annex VII to Great Britain's Phytosanitary Conditions Regulation (2019/2072). The potato tubers have originated in an area known to be free from *Clavibacter sepedonicus* (Spieckermann & Kotthoff) Li et al.

The shipment complies with the phytosanitary requirements of item 20 (b) of Annex VII to Great Britain's Phytosanitary Conditions Regulation (2019/2072). The potato tubers have originated in a place of production free from *Synchytrium endobioticum* (Schilbersky Percival).

The shipment complies with the phytosanitary requirements of item 20 (c) i of Annex VII to Great Britain's Phytosanitary Conditions Regulation (2019/2072). The potato tubers have originated in an area known to be free from *Ralstonia solanacearum* (Smith) Yabuuchi et al. emend. Safni et al.

The shipment complies with the phytosanitary requirements of item 20 (d) i of Annex VII to Great Britain's Phytosanitary Conditions Regulation (2019/2072). The potato tubers come from an area where *Meloidogyne chitwoodi* Golden et al. is known not to occur.

The shipment complies with the phytosanitary requirements of point 20 (e) of Annex VII to Great Britain's Phytosanitary Conditions Regulation (2019/2072). The potato tubers come from a production site where the procedures for the control of *Globodera pallida* (Stone) Behrens and *Globodera rostochiensis* (Wollenweber) Behrens set out in EPPO PM 9/26 have been implemented.

The shipment complies with the phytosanitary requirements of point 28 (b) of Annex VII to Great Britain's Phytosanitary Conditions Regulation (2019/2072). No symptoms of *Candidatus Phytoplasma solani* Quaglino et al. have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation

Øvrigt

Ukraine

Krav hentet fra Nederlandene og Skotland

Marksyn

Partikontrol

Laboratorieundersøgelser

Jordprøver skal udtages og analyseres fri for kartoffelcystenematoder (*Globodera pallida* og *Globodera rostochiensis*).

Tillægserklæring på plantesundhedscertifikat

The seed potatoes were grown in land in which Potato Wart Disease (*Synchytrium endobioticum*) has not been known to occur at any time.

The seed potatoes originate from land which was officially sampled and examined for the presence of commercially harmful nematodes which would be subject to quarantine regulations. Soil samples were found to be free of the potato cyst nematodes *Globodera pallida* and *Globodera rostochiensis*. The official inspection of the crops during the period of growth did not reveal any evidence of the presence of potato cyst nematodes.

The official inspection of the crops during the period of growth did not reveal any evidence of the presence of Colorado beetles (*Leptinotarsa decemlineata*), Potato rot nematode (*Ditylenchus destructor*), Potato ring rot (*Clavibacter michiganensis* subsp. *sepedonicus*) and Tomato spotted wilt virus (TSWV).

Potato tuber moth (*Phthorimaea operculella*), Japanese beetle (*Popillia japonica*), Potato brown rot (*Ralstonia solanacearum*), Potato Stolbur phytoplasma, Potato yellowing vein 'virus', Potato yellow dwarf virus (PYDV) and Potato Spindle Tuber Viroïd (PSTVd) has never been found in Denmark on potatoes.

The tubers come from an area free from *Meloidogyne chitwoodi* and *Meloidogyne fallax*.

The crops from which the seed potatoes originate were officially inspected whilst growing, by Inspectors of the Ministry and are certified to conform to the standards of freedom of virus diseases according to the Ministry's certification scheme.

Øvrigt

-

Usbekistan

Kilder:

- Phytosanitary requirements for the quarantine products, imported into the Republic of Uzbekistan

Marksyn

- *Rhizoctonia solani*

Partikontrol

- Pulverskurv (*Spongospora subterranea*)
- Sølvskurv (*Helminthosporium solani*)
- Kartoffelskurv (*Streptomyces scabiei*)
- *Ditylenchus destructor*
- *Meloidogyne chitwoodii*
- *Erwinia carotovora*
- Kartoffelbrok (*Synchytrium endobioticum*)

Laboratorieundersøgelser

Jordprøver skal udtages og analyseres fri for kartoffelcystenematoder (*Globodera pallida* og *Globodera rostochiensis*).

Sorten fra den pågældende avler skal analyseres fri for ringbakteriose (*Clavibacter sepedonicus*).

Tillægserklæring på plantesundhedscertifikat

This consignment complies with the requirements set out in point 13 of the “Phytosanitary requirements for the quarantine products, imported into the Republic of Uzbekistan”.

Øvrigt

-

Zimbabwe

Kilder:

- Nederlandene

Marksyn

Frihed for:

- *Dickeya solani*
- *Lacanobla oleracea*
- *Melolontha melolontha*
- *Philaenus spumarius*
- Potato virus Y

Partikontrol

Frihed for:

- *Phoma exigua* var. *foveate*
- *Fusarium sambucinum*
- Kartoffelskurv (*Streptomyces scabiei*)
- Tobacco rattle virus
- Kartoffelbrok (*Synchytrium endobioticum*)
- Candidatus *Phytoplasma asteris*

Laboratorieundersøgelser

Jordprøver skal udtages og analyseres fri for kartoffelcystenematoder (*Globodera pallida* og *Globodera rostochiensis*).

Tillægserklæring på plantesundhedscertifikat

The planting material is free from *Dickeya solani*, *Lacanobla oleracea*, *Melolontha melolontha*, *Philaenus spumarius*, *Synchytrium endobioticum*, *Boeremia foveata* (*Phoma exigua* var. *foveata*), *Gibberella pulicaris* (*Fusarium sambucinum*), Potato virus Y, *Streptomyces scabiei*, Tobacco rattle virus, *Globodera pallida*, and *Globodera rostochiensis*.

Candidatus Liberibacter solanacearum, Potato spindle tuber viroid, *Pseudomonas marginalis* pv. *marginalis*, *Polyscytalum pustulans*, Tomato black ring virus, and *Trichodorus viruliferus* is not known to occur in Denmark.

Øvrigt

Muligvis krav om importtilladelse.